

# H50 Hand-push floor scrubber

Scrub / Mopping the floor / Vacuum clean  
Suitable for small indoor scenes

## APPLICABLE SCENARIOS



Hotel



Office space



Dining room



Hospital



School



Bank



## APPLICABLE GROUND



Epoxy flooring



PVC Ground



Terrazzo flooring



Tile flooring



Marble floor



Concrete floor

## PRODUCT FEATURES



New energy lithium battery



High security



Rotomolded thickened body



Preferred Materials



Motor Upgrade



Extra large open tank design



Optional lead-acid battery



Mechanical assistance

## TECHNICAL PARAMETER


Item	JSXD50-HC8-I	Item	JSXD50-HC8-I
Driving form	hand-push	Brush disk motor power ( W )	550
cleaning efficiency ( m <sup>2</sup> /h )	2400	Power of suction motor ( W )	310
Width of suction skid ( mm )	800	Brush Diameter ( mm )	510
Cleaning width ( mm )	510	Brush Plate Pressure ( kg )	15
Fresh water tank capacity ( L )	45	charging time ( h )	4-5
Sewage tank capacity ( L )	55	Weight battery ( kg )	105
Battery Specifications ( V/Ah )	24/60(li-ion battery)	Size of the whole machine ( mm )	1125×536×1060

# H75 Driving Scrubber


Scrub / Mopping the floor / Vacuum Clean

Suitable for washing large indoor scenes


## APPLICABLE SCENARIOS



## APPLICABLE GROUND



## PRODUCT FEATURES



## TECHNICAL PARAMETER

Item	JSXD75-HC8-I	Item	JSXD75-HC8-I
Driving form	precursor	Power of suction motor ( W )	310
cleaning efficiency ( m²/h )	4500	Gradient full load ( % )	8
Width of suction skid ( mm )	800	Brush Diameter ( mm )	560
Cleaning width ( mm )	560	Brush Plate Pressure ( kg )	35
Fresh water tank capacity ( L )	70	charging time ( h )	3-4
Sewage tank capacity ( L )	75	Overall weight with battery ( kg )	175
Battery Specifications ( V/Ah )	24/100 ( li-ion battery )	Size of the whole machine ( mm )	1260×630×1030
Traveling motor power ( W )	400	Brush disk motor power ( W )	550

# X6 Hand-push floor scrubber

## Floor washing / Mopping / suction

Suitable for small indoor scenes of floor washing

### ■ APPLICABLE SCENARIOS



Hotels



Dining Room



Office Building



Villa



School



Property



### ■ APPLICABLE GROUND



Epoxy flooring



PVC Ground



Terrazzo flooring



Tile flooring



Marble floor



Wooden flooring

### ■ PRODUCT FEATURES



New Energy Lithium Battery



Enhance efficiency



Net dirt separation water tank



Lightweight design



360°Rotation



Simple operation



Simple Maintenance



Affordable and useful

### ■ TECHNICAL PARAMETER

Item	JSXD6-XC8J-I	Item	JSXD6-XC8J-I
Working width ( mm )	380	Clear water tank capacity ( L )	4.8
Width of water -absorbing rake ( mm )	430	Suction motor power ( W )	70
Work efficiency ( m <sup>2</sup> /h )	1200	Noise ( db )	65
Brush plate diameter ( mm )	185	Continuous working time ( min )	70
Brush speed ( r/min )	170	Size ( mm )	280×80×40
Brush plate motor power ( W )	100	Battery specifications ( V/Ah )	24/6 (Lithium Battery)
Brush plate pressure ( kg )	5.5	Battery weight ( kg )	1.4
Sewage tank capacity ( L )	5.8	Weight of the whole machine without battery ( kg )	8.6

# X150 Driving floor scrubber


## Floor washing / Mopping / suction

Suitable for large indoor scenes of floor washing


### APPLICABLE SCENARIOS



### APPLICABLE GROUND



### PRODUCT FEATURES



### TECHNICAL PARAMETER

Item	JSXD150-XC7-I	Item	JSXD150-XC7-I
Clear water tank capacity ( L )	150	Sewage tank capacity ( L )	150
Cleaning width ( mm )	900	Battery specifications ( V/Ah )	24/250 (Lithium Battery)
Working hours ( h )	4-5	LCD screen ( in )	4.3
Powerful cleaning key	Standard	Green one-touch start button	Standard
Traveling speed ( km/h )	0-7	Headlights	Standard
Rear police light	Standard	Brush plate water grill lift	Automatic
Brush tray size × Quantity ( in )	18 × 2	Width of water rake ( mm )	1100
Loading and unloading of brush trays	Automatic	Front guard rail	Standard
Automatic cleaning agent proportioning and conveying system	Standard	Disc Brush Wear Indicator	Standard
Drive motor power ( W )	1000	Brush motor power × Quantity ( W )	710 × 2
Brush speed ( r/min )	210	Seat sensing	Standard
Water-absorbing motor ( W )	650	Cleaning efficiency ( m <sup>2</sup> /h )	6500
Whole machine size ( mm )	1750 × 1100 × 1495		